


KM 3010  
Gas hob  
with 4 burners



- Simple controls -single-handed operation via rotary dial control
- Elegant design – 626 mm wide gas hob on glass for surface-mounted installation
- Versatile – 4 burners
- Extremely safe – GasStop function
- Easy cleaning – dishwasher-safe ComfortClean pot rests

EAN: 4002515055830 / Material number: 09101190 /  
Old Material Number: 26301050GB

<b>General information</b>	
Model identifier	KM 3010
Manufacturer material number	09101190
EAN number	4002515055830
Marketing class	Silver
<b>Heating type</b>	
Heating type	Gas
<b>Construction type</b>	
Independent of cooker	•
<b>Design</b>	
Ceramic surface colour	Black
Miele logo embossed in stainless steel	•
Cast iron pot rests (matt black enamelled)	•
<b>Cooking zone details</b>	
Number of cooking zones	4
<b>Gas burner power rating</b>	
Small burner in kW	1.00
Medium burner in kW	1.70
Large burner in kW	2.70
<b>1st cooking zone/cooking area</b>	
Position	front left
Type	High-speed burner
<b>2nd cooking zone/cooking area</b>	
Position	rear left
Type	Economy burner
<b>3rd cooking zone/cooking area</b>	
Position	rear right
Type	Standard burner
<b>4th cooking zone/cooking area</b>	
Position	front right
Type	Standard burner
<b>User convenience</b>	
Operation via knobs	•
Electronic ignition with single-hand operation	•
<b>Cleaning and care</b>	
Dishwasher-proof pot rests	•
<b>Safety</b>	
GasStop	•
GasStop & ReStart	•
<b>Technical data</b>	
Dimensions (H x W x D) in mm	54 x 626 x 526
Dimensions in mm (width)	626
Dimensions in mm (height)	54
Dimensions in mm (depth)	526
Casing height incl. connection box in mm	63
Cutout dimensions in mm (width) with surface-mounted installation	600 mm

KM 3010  
Gas hob  
with 4 burners



EAN: 4002515055830 / Material number: 09101190 /  
Old Material Number: 26301050GB

Cutout dimensions in mm (depth) with surface-mounted  
installation 500 mm

Weight in kg 17

Total rated load in kW 7.10

Length of supply lead in m 1.4

Position of gas connection Hinten links


Voltage in V 220-240

Frequency in Hz 50-60

**Accessories included**

Mains cable No

KM 3010  
Gas hob  
with 4 burners



KM 3010 G (Installation drawing)

1. Front, 2. Casing depth, 3. Mains connection box with mains connection cable L = 2000 mm, 4. Gas connection R 1/2" – ISO 7-1 (DIN EN 10226)