

KWT 4584 E

Freestanding wine storage unit

with a temperature zone, ActiveHumidity and door lock.



- Perfect regulation of humidity with ActiveHumidity
- Protect your favourite wines with an integrated door lock
- Clever networking opens up new possibilities – Miele@home
- Presented in perfect light – LED lighting



EAN: 4002516612438 / Material number: 12156930 /  
Old Material Number: 39458451EU1

<b>General information</b>	
Model identifier	KWT 4584 E
Manufacturer material number	12156930
EAN number	4002516612438
Class	Gold
<b>Appliance category</b>	
Wine conditioning unit	•
<b>Construction type</b>	
Freestanding appliance	•
Door hinge	right
Convertible door hinging	•
<b>Design</b>	
Casing colour	black
Front colour	Black
Wine compartment lighting	LED illumination
<b>User convenience</b>	
Networking with Miele@home	•
Door opening aid	SideOpen
ActiveHumidity	•
Active AirClean filter	•
Silence system	•
Total number of shelves	6
Number of shelves	5
Shelf material	Metal
Low-vibration storage	•
<b>Control system</b>	
Operating concept	SensorTouch
No. of temperature zones	1
Min. temperature setting range in °C	5
Max. temperature setting range in °C	20
Sabbath mode	•
<b>Fridge/Fridge section</b>	
Dry back wall	grey
<b>Efficiency and sustainability</b>	
Energy efficiency class (A–G)	E
Annual energy consumption in kWh	95.36
Energy consumption in 24 h in kWh	0.26
<b>Safety</b>	
Lock function	•
Door lock	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical door alarm	•
Optical temperature alarm	•
<b>Technical data</b>	
Appliance width in mm	597
Appliance height in mm	1884
Appliance depth in mm	764

KWT 4584 E

Freestanding wine storage unit


with a temperature zone, ActiveHumidity and door lock.




EAN: 4002516612438 / Material number: 12156930 /  
Old Material Number: 39458451EU1

Weight in kg	73.0
Climate range	SN-T
Wine compartment in l	433
Total usable capacity in l	434
0.75 l Bordeaux bottle capacity (no. of bottles)	229 bottles
Acoustic airborne noise emission class (A-D)	C
Sound emissions in dB(A) re 1 pW	38
Current consumption (mA)	1500
Voltage in V	220-240
Fuse rating in A	10
Number of phases	1
Frequency in Hz	50-60
Length of supply lead in m	2.0


KWT 4584 E  
Freestanding wine storage unit  
with a temperature zone, ActiveHumidity and door lock.



KWT4584E sw, Rioja, installation sketch  
Dimension with wall spacers



KWT4584E sw, Rioja, top view



KWT4584E sw, Rioja, installation

1. View from the front, 2. Mains connection cable, L = 2200 mm