

## KFN 4795 CD

Freestanding fridge-freezer

with DailyFresh, NoFrost, DynaCool and added convenience.



- Spacious drawer with moisture control – DailyFresh
- No icing up of food and no need to defrost thanks to NoFrost
- Uniform temperature distribution inside the appliance – DynaCool
- Two separate air circuits for optimum cooling – DuplexCool
- Soft closing of the door with SoftClose



EAN: 4002516701118 / Material number: 12335890 /  
Old Material Number: 38479537EU1

General information	
Model identifier	KFN 4795 CD
Manufacturer material number	12335890
EAN number	4002516701118
Marketing class	Gold
Appliance category	
Fridge-freezer	•
Construction type	
Freestanding appliance	•
Door hinge	right
Convertible door hinging	•
Design	
Casing colour	Silver
Front colour	Blackboard edition
User convenience	
Fridge zone lighting	LED
Networking with Miele@home	•
Freshness system	DailyFresh
Door opening aid	Click2open
ComfortClean	•
ComfortSize	•
DynaCool	•
Party mode	•
Holiday mode	•
NoFrost	•
DuplexCool	•
VarioRoom	•
SoftClose	•
Control system	
Operating concept	SensorTouch
Precise adjustment	Fridge and freezer temperature
Fridge compartment can be switched off	Yes
Independent temperature regulation of fridge and freezer zones	Yes
SuperCool	•
SuperFreeze	•
No. of temperature zones	2
Sabbath mode	•
Fridge/Fridge section	
No. of shelves	5
including number of split shelves (FlexiBoard)	1
Chrome-plated metal bottle rack	•
No. of crisper drawers	1
Number of inner door racks for tinned food	3
Door rack for bottles	1
Door shelves	4

KFN 4795 CD

Freestanding fridge-freezer

with DailyFresh, NoFrost, DynaCool and added convenience.




EAN: 4002516701118 / Material number: 12335890 /

Old Material Number: 38479537EU1


<b>Freezer/Freezer section</b>	
Number of freezer drawers	3
<b>Efficiency and sustainability</b>	
Energy efficiency class (A-G)	C
Annual energy consumption in kWh	162.06
Energy consumption in 24 h in kWh	0.44
<b>Safety</b>	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical door alarm	•
Optical temperature alarm	•
Power cut indication for freezer section	•
<b>Technical data</b>	
Appliance width in mm	597
Appliance height in mm	2015
Appliance depth in mm	682
Weight in kg	91.8
Climate range	SN-T
Refrigerator compartment in l	268
4* freezer compartment in l	103
Total usable capacity in l	371
Storage time in case of fault in h	20
Freezer capacity in kg/24 h	10.00
Acoustic airborne noise emission class (A-D)	B
Sound emissions in dB(A) re 1 pW	35
Current consumption (mA)	1400
Voltage in V	220-240
Fuse rating in A	10
Number of phases	1
Frequency in Hz	50-60
Length of supply lead in m	2.0
Replacing lamps	Service
<b>Accessories included</b>	
Egg tray	•
Water filter	Nein
Ice cube tray	•

KFN 4795 CD  
 Freestanding fridge-freezer  
 with DailyFresh, NoFrost, DynaCool and added convenience.




KFN4898CD bs, KFN4898AD bs, KS4887DD edt/cs, top view

\*To achieve the declared energy consumption, the spacers supplied with the unit must be used. This increases the depth of the unit by approx. 15 mm. The unit is fully functional without the use of the spacers, but has a slightly higher energy consumption.




KFN4395DD, KFN4393CD, KFN4393FD, KFN4393DD, KFN4795DD bb, KFN4795CD bb, KFN4898CD, installation

1. View from the front, 2. Mains connection cable, L = 2000 mm



KFN4898AD, KFN4898CD, KFN4795DD bb, KFN4795CD bb, installation sketch

\*To achieve the declared energy consumption, the spacers supplied with the unit must be used. This increases the depth of the unit by approx. 15 mm. The unit is fully functional without the use of the spacers, but has a slightly higher energy consumption.



KFN4795CD bb, KS4783DD obsw/matt, KFN4898AD grgr, KFN4799AD obsw/matt 125 Gala Edition, top view

\*To achieve the declared energy consumption, the spacers supplied with the unit must be used. This increases the depth of the unit by approx. 15 mm. The unit is fully functional without the use of the spacers, but has a slightly higher energy consumption.