

## G 7980 SCVi AutoDos K2O

Fully integrated dishwashers

A | 41 dB | Cutlery tray | MaxiComfort baskets | M Touch | BrilliantLight



- Tested for the equivalent of 20 years' service life\*
- Best energy efficiency class A – energy-saving and eco-friendly
- Maximum flexibility and premium basket design – MaxiComfort baskets
- Intuitive, fast and clear touch operation – M Touch display
- A perfect view for convenient loading even in the dark – BrilliantLight
- Convenient, efficient, sustainable – perfect results with automatic dispensing from PowerDisk
- Combining perfection in kitchen design with automatic opening – Knock2open

\* During the development phase of the G 5000 and G 7000 dishwasher series, Miele tested models and core components in 5600 wash cycles (= 280 wash cycles per year over a period of 20 years) in various programmes. More at: [miele.com/20years](http://miele.com/20years)



EAN: 4002516738473 / Material number: 12424010 / Old Material Number: 21798062GB

General information	
Model identifier	G 7980 SCVi AutoDos K2O
Manufacturer material number	12424010
EAN number	4002516738473
Marketing class	Diamond
Model	
Fully integrated dishwasher	•
60 cm dishwasher	•
Design	
Control panel colour	CleanSteel/Obsidian black
Control panel version	Fully integrated fascia
Control type	Touch control
Display	M Touch Vi
Display colour	White
MultiLingua	•
Convenience	
Networking with Miele@home	•
Automatic dispensing with PowerDisk	•
Knock2open	•
Door closing aid	ComfortClose
BrilliantLight	•
Time left display	•
Delay start up to 24 hours	•
In-operation indicator	optical and acoustic, volume control
Add an item option	•
Display language selection	•
Efficiency and sustainability	
Energy efficiency class (A–G)	A
Water consumption in the Automatic programme in l from	6.0
Water consumption of the ECO programme in litres per programme cycle	8.4
Electricity consumption in the ECO programme in kWh	0.54
Energy consumption of the ECO programme in kWh after 100 programme cycles	54
Consumption value in kWh in the ECO programme with hot water connection	0.29
Duration of ECO programme in minutes	230
Power rating with delay start in W	0.90
Power rating in off mode in W	0.30
Power rating in standby mode in W	0.30
Power rating in networked standby in W	0.90
Number of place settings	14
Noise emission class	B
Noise emissions in dB(A)	41
FlexiTimer with EcoStart	•
EcoFeedback	•
EcoPower Technology	•

G 7980 SCVi AutoDos K2O

Fully integrated dishwashers

A | 41 dB | Cutlery tray | MaxiComfort baskets | M Touch | BrilliantLight



EAN: 4002516738473 / Material number: 12424010 /  
Old Material Number: 21798062GB

Proven hygiene	•
Hot water connection	•
Half load	•
<b>Quality of results</b>	
Fresh water dishwasher	•
AutoOpen drying	•
SensorDry	•
Active condensation drying	•
BrilliantGlassCare	•
<b>Wash programmes</b>	
QuickPowerWash	•
ECO	•
Automatic	•
ComfortWash 45 °C	•
Intensive 75 °C	•
PowerWash	•
ComfortWash+ 55 °C	•
Gentle	•
Hygiene	•
SolarSave	•
ExtraQuiet 37 dB(A)	•
Pasta/Paella	•
Tall items 65°C	•
Appliance care	•
Rinse out salt	•
<b>Dishwashing options</b>	
AutoDos	•
BottleClean	•
Quick	•
IntenseZone	•
Extra Clean	•
Extra dry	•
<b>Basket design</b>	
Cutlery loading	3D MultiFlex tray
FlexCare glass holder	3
FlexCare cup rack	1
Basket design	MaxiComfort
MultiClip	•
FlexCare Glass & Bottle	•
XL Assist	•
StrawClean	•
<b>Safety</b>	
Waterproof system	•
Filter indicator light	•
<b>Technical data</b>	
Niche width minimal in mm	600
Niche width max in mm	600
Niche height minimal in mm	805

G 7980 SCVi AutoDos K2O

Fully integrated dishwashers

A | 41 dB | Cutlery tray | MaxiComfort baskets | M Touch | BrilliantLight



EAN: 4002516738473 / Material number: 12424010 /

Old Material Number: 21798062GB

Niche height maximal in mm	870
Niche depth in mm	550
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	550
Depth with door open in cm	116.5
Net weight in kg	48.0
Total rated load in kW	2.00
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Electrical frequency standard	50
Length of water inlet hose in m	1.50
Length of water drain hose in m	1.50
Length of supply lead in m	1.80
Min. front panel weight in kg	4.0
Max. front panel weight in kg	11.0
[can be retrofitted by Service to min.]	7.0
[can be retrofitted by Service to max.]	14.0
Replacing lamps	Service

#### Accessories included

1 x PowerDisk

Voucher for 6 x PowerDisk

#### Available display languages

Available display languages via MultiLingua

,       deutsch,  
 dansk, english (AU), english  
 (GB), english (US), suomi,  
 français (FR), ελληνικά,  
 italiano,   ,   ,  
 hrvatski, bahasa malaysia,  
 nederlands, norsk, polski,  
 portugûês, română,  
 русский, svenska, srpski,  
 slovenčina, slovenščina,  
 español, čeština, türkçe,  
 українська, magyar

G 7980 SCVi AutoDos K2O

Fully integrated dishwashers

A | 41 dB | Cutlery tray | MaxiComfort baskets | M Touch | BrilliantLight



G7000, fully integrated dishwasher, 60cm (installation drawing)

1) Plinth height 35-155 mm, 2) Plinth height 100-220 mm, 3) Appliance height max. 930 mm with plinth height conversion kit (Mat.-Nr. 6.394.761),