

KU 7030 D

Built-under refrigerator, 82–88 cm niche height with LED lighting, DynaCool and ComfortClean in a compact design.



- Optimum and maintenance-free LED
- Uniform temperature distribution inside the appliance – DynaCool
- Cool food down quickly thanks to SuperCool
- Soft closing of the door with SoftClose



EAN: 4002516779230 / Material number: 12519150 /
Old Material Number: 36703010EU1

| | |
|--|----------------|
| General information | |
| Model identifier | KU 7030 D |
| Manufacturer material number | 12519150 |
| EAN number | 4002516779230 |
| Marketing class | Gold |
| Appliance category | |
| Refrigerator | • |
| Construction type | |
| Integrated appliance | • |
| Undercounter appliance | • |
| Door hinge | Pull-out front |
| User convenience | |
| Fridge zone lighting | LED |
| Networking with Miele@home | • |
| DynaCool | • |
| Holiday mode | • |
| SoftClose | • |
| Control system | |
| Operating concept | FreshTouch |
| SuperCool | • |
| No. of temperature zones | 1 |
| Sabbath mode | • |
| Fridge/Fridge section | |
| No. of shelves | 3 |
| Efficiency and sustainability | |
| Energy efficiency class (A–G) | D |
| Annual energy consumption in kWh | 73.90 |
| Energy consumption in 24 h in kWh | 0.20 |
| Safety | |
| Lock function | • |
| Acoustic door alarm | • |
| Optical door alarm | • |
| Technical data | |
| Niche width in mm min. | 600 |
| Niche width in mm max. | 600 |
| Niche height in mm min. | 820 |
| Niche height in mm max. | 880 |
| Niche depth in mm | 560 |
| Appliance width in mm | 597 |
| Appliance height in mm | 818 |
| Appliance depth in mm | 550 |
| Weight in kg | 40.0 |
| Max. door front weight – refrigerator, in kg | 10 |
| Climate range | SN-T |
| Refrigerator compartment in l | 125 |
| Total usable capacity in l | 124 |
| Acoustic airborne noise emission class (A–D) | B |
| Sound emissions in dB(A) re 1 pW | 32 |

KU 7030 D

Built-under refrigerator, 82–88 cm niche height
with LED lighting, DynaCool and ComfortClean in a compact design.




EAN: 4002516779230 / Material number: 12519150 /
Old Material Number: 36703010EU1

| | |
|-----------------------------|---------|
| Current consumption (mA) | 2000 |
| Voltage in V | 220-240 |
| Fuse rating in A | 10 |
| Number of phases | 1 |
| Frequency in Hz | 50-60 |
| Length of supply lead in m | 2.2 |
| Replacing lamps | Service |
| Accessories included | |
| Egg tray | • |
| Water filter | Nein |

KU 7030 D

Built-under refrigerator, 82–88 cm niche height
with LED lighting, DynaCool and ComfortClean in a compact design.



KU7030D, Built-under, side view